
IP Location API Documentation

Release latest

Apr 26, 2022

Contents

1	Overview	1
2	Quick Start Guide	3
3	Basic Usage	5
4	Example	7

CHAPTER 1

Overview

This [IP Geolocation API](#) service is designed for quick and easy visitors IP geolocation integration into your script or website. Get rid of setting up local GeoIP libraries and forget about regular updates. Our neural network analyzes dozens of sources and almost real-time updates the database.

CHAPTER 2

Quick Start Guide

You can call the API by sending HTTP GET requests to:

```
http://ipwhois.app/json/{IP}
```

{ IP } can be an IPv4 or IPv6 address, or none to use the current IP address.

Note: Complete documentation to use this SDK is also available at <https://ipwhois.io/documentation>

CHAPTER 3

Basic Usage

Call method

```
get_ipwhois($ip, $format, $lang, $apiKey)
```

passing IP address as parameters (rest of the parameters are optional) and it will return the Geolocation for the passed IP address.

CHAPTER 4

Example

```
<?php
    $ip = "8.8.4.4"; // CLIENT_IP_ADDRESS;
    $location = get_ipwhois($ip, 'json', 'en', '');

    echo "<pre>";
    print_r($location);
    echo "</pre>";

    function get_ipwhois($ip, $format = "json", $lang = "en", $apiKey = "") {
        $url = "http://".($apiKey != '' ? 'ipwhois.pro' : 'ipwhois.app')."/". $format.
        ↪"/". $ip."?lang=".$lang.($apiKey != '' ? '&key='.$apiKey : '');
        $cURL = curl_init();
        curl_setopt($cURL, CURLOPT_URL, $url);
        curl_setopt($cURL, CURLOPT_HTTPGET, true);
        curl_setopt($cURL, CURLOPT_RETURNTRANSFER, true);
        curl_setopt($cURL, CURLOPT_HTTPHEADER, array(
            'Content-Type: application/json',
            'Accept: application/json'
        ));
        return json_decode(curl_exec($cURL), true);
    }
?>
```